

Product Brochure For B008

Swivel Head Metal Cutting Band Saw - BS-8DS

Dual Mitre Cuts Up To 45°

215 x 205mm (W x H) Rectangle Capacity at 90 degrees

On Sale

Ex GST

Inc GST

~~\$1,790.00~~

~~\$1,969.00~~

\$1,630.00

\$1,793.00



ORDER CODE:	B008
MODEL:	BS-8DS
Operation Type:	Swivel Head
Round @ 90° (mm):	205
Round @ 45° (mm):	143
Round @ 60° (mm):	~
Square @ 90° (mm):	205
Square @ 45° (mm):	~
Square @ 60° (mm):	~
Rectangle (W x H) @ 90° (mm):	215 x 205
Rectangle (W x H) @ 45° (mm):	143 x 115
Rectangle (W x H) @ 60° (mm):	~
Coolant System:	Yes
Table Working Height (mm):	~
Cutting Head Beam Type:	Manual
Cutting Head Beam Return:	Manual Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	~
Blade Steps / Speeds (M/Min):	24-41-61-82
Blade Size (L x W x T) (mm):	2360 x 19 x 0.9
Motor Power (kW / hp):	1.1 / 1.5
Voltage / Amperage (V / amp):	240
Nett Weight (kg):	190



Description

The BS-8DS medium-duty dual swivel head metal cutting band saw offers great value for money. The major points of this machine are the swivel head, four-blade speeds, adjustable feed rate, and built-in coolant system.

This is an excellent machine choice for maintenance shops, medium steel fabricators, and engineering workshops.

Features

- 205mm round, 215mm x 200mm (W x H) rectangular capacity at 90 degrees
- 143mm round, 143mm x 115mm (W x H) rectangular capacity at 45 degrees
- ±45° swivel head for easy angle cutting without moving material
- Adjustable hydraulic feed cutting rate for multiple applications
- Built-in coolant system with flow control valve for maximum cutting efficiency
- Limit switch stops machine when cut is complete
- Blade roller guides provides accurate cutting
- 4-speed pulley drive system enabling 24-41-61-82mpm cutting speeds
- Adjustable length stop for repetition cutting
- Wire wheel brush to clean swarf from blade
- Heavy-duty 750W/240V fully enclosed fan-cooled motor

Product Brochure For B008

Specific Features



Head Fully Raised



Blade Guide



Coolant to Blade



Quick Action Vice Handle Lever



Hydraulic Ram Down Feed Control



Swivel Head



Coolant System



Switch

Recommended Accessories

B210

Metal Band Saw Blade - 6TPI
 Carbon, Blade - 2362 x 19 x
 0.80mm



B212

Metal Band Saw Blade - 8TPI
 Carbon, Blade - 2362 x 19 x
 0.80mm



B214

Metal Band Saw Blade - 10TPI
 Carbon, Blade - 2362 x 19 x
 0.80mm



B216

Metal Band Saw Blade - 14TPI
 Carbon, Blade - 2362 x 19 x
 0.80mm



Product Brochure For B008

B400

Metal Band Saw Blade - 4-6TPI
 Bi-Metal, Blade - 2362 x 19 x
 0.80mm



B404

Metal Band Saw Blade -
 6-10TPI Bi-Metal, Blade - 2362 x
 19 x 0.80mm



B408

Metal Band Saw Blade -
 10-14TPI Bi-Metal, Blade - 2362
 x 19 x 0.80mm



S091

Soluble Metal Cutting Fluid - 20
 Litre



S090A

Soluble Metal Cutting Fluid - 1
 Litre



S090

Soluble Metal Cutting Fluid - 5
 Litre



S076

Cutting Tool Lubricant Fluid -
 500ml



S077

Drilling, Tapping & Cutting Tool
 Lubricant Spray - 400g



S075

Cutting Tool Lubricant Paste -
 200g



S074

Cutting Tool Lubricant Paste -
 500g



L812

Roller Conveyor



L816

Roller Conveyor Stand



Product Brochure For B008

W343A
Roller Stand



W343
Roller Stand



W3434
Roller Stand




W3436
Roller Stand - V-Type



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O000
SpillFix Universal Organic Absorbent



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant & Corrosion Inhibitor



O040
Rust & Corrosion Preventive



O044
Rust & Corrosion Preventive

