

Product Brochure For B062V

Swivel Head Metal Cutting Band Saw - EB-260V

Electronic Variable Blade Speed 20-90mpm, Mitre Cuts Up To 60°, Quick Action Material Clamps & Capacity Hydraulic Downfeed Control

On Sale

Ex GST	Inc GST
\$3,290.00	\$3,619.00
\$2,890.00	\$3,179.00



ORDER CODE:	B062V
MODEL:	EB-260V
Operation Type:	Swivel Head
Round @ 90° (mm):	225
Round @ 45° (mm):	150
Round @ 60° (mm):	100
Square @ 90° (mm):	180
Square @ 45° (mm):	140
Square @ 60° (mm):	100
Rectangle (W x H) @ 90° (mm):	225 x 180
Rectangle (W x H) @ 45° (mm):	140 x 140
Rectangle (W x H) @ 60° (mm):	100 x 100
Coolant System:	Yes
Table Working Height (mm):	950
Cutting Head Beam Type:	Manual
Cutting Head Beam Return:	Manual Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	~
Blade Steps / Speeds (M/Min):	Variable 20-90
Blade Size (L x W x T) (mm):	2480 x 27 x 0.9
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	200



Description

Manufactured in Taiwan

Features

- 225 x 180mm rectangular capacity
- Electronic variable blade speed, 240V motor
- Larger cutting capacity than conventional cold saws
- Heavy-duty gear drive system
- Quick-action lock/release vice
- Swivel head mitre cut to 60° right
- Quick action lock/release lever for swivel head
- Coolant system for cutting efficiency and blade life
- User friendly blade tension system
- Control panel mounted for easy access
- Adjustable length stop for repetition cutting
- Ball bearing blade guides ensures minimal blade clearance wear & increases blade life due to less friction
- Blade cleaning brush incorporated into blade guide system
- Adjustable hydraulic cylinder for auto feed
- Vibration free, low noise operation ensures clean & high precision cuts
- Machine stand with integrated cooling fitted as standard

Product Brochure For B062V



Specific Features



Front View



Swivel Head at 60 Degrees




Swivel Head Full View




Control Panel



Ball Bearing Blade Guides Front



Ball Bearing Blade Guides Back



Blade Cleaning Brush




Hydraulic Down Feed Control

Product Brochure For B062V



Micro Cut Out Switch



Vice



Swivel Head with Scale up to 60 Degree




Blade Tension Device



Variable Speed Motor and Gearbox



Material Length Stop



Swivel Head Lock



Material Support



Safety Blade Guard Micro Switch



Coolant Pump



Swivel Head Stop



Vice Handle Lock

Product Brochure For B062V

Recommended Accessories

B478

Metal Band Saw Blade - 4-6TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



B479

Metal Band Saw Blade - 6-10TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



B480

Metal Band Saw Blade - 10-14TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



S091

Soluble Metal Cutting Fluid - 20 Litre



S090A

Soluble Metal Cutting Fluid - 1 Litre



S090

Soluble Metal Cutting Fluid - 5 Litre



S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



Product Brochure For B062V

S075
 Cutting Tool Lubricant Paste -
 200g



S074
 Cutting Tool Lubricant Paste -
 500g



L300
 Magnetic Swarf Remover



M9991
 Magnetic Floor Sweeper



L812
 Roller Conveyor




L814
 Roller Conveyor Stand



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic
 Absorbent



O043
 Rust & Corrosion Preventive



O042
 General Purpose Lubricant &
 Corrosion Inhibitor



O040
 Rust & Corrosion Preventive



Product Brochure For B062V

O044

Rust & Corrosion Preventive

