

Product Brochure For D122

Metric Precision 2MT Morse Taper Drill Set - 10 Piece

Ø14.5 - Ø23mm

Includes deluxe storage case

On Sale

Ex GST

~~\$390.00~~

\$353.64

Inc GST

~~\$429.00~~

\$389.00



ORDER CODE:	D122
MODEL:	Metric
Application:	Industrial Set
Number of Pieces (No.):	10
Range:	14.5, 15, 16, 17, 18, 19, & 20, 21, 22, & 23mm
Shank Style:	2MT (Morse Taper)
Angle of Point (Degrees):	118
Standard (DIN):	DIN 345
Nett Weight (kg):	3.72



Description

Alcock drill bits are manufactured from M35 grade HSS including 5% cobalt, this high-grade material offers superior drilling performance and durability. Each drill bit features precision-ground flutes and a 135° cutting point angle, which is ideal for drilling in tougher materials while enhancing longevity and performance. The morse taper shank ensures positive driving for heavy duty drilling & is supplied with a tang for easy ejection making it an ideal choice for any workshop.

This kit features sizes from Ø14.5mm to Ø23.0mm neatly organized in a durable carry case making it an ideal choice for any workshop.

Features


- M35 Grade HSS including 5% Cobalt
- Precision ground flutes
- 135° cutting point for drilling steels and tough materials
- 10pc in sizes - Ø14.5, 15, 16, 17, 18, 19, 20, 21, 22, 23mm
- 2 Morse taper shank with tang
- Manufactured to DIN 345 ?Standard
- Bronze oxide finish to reduce friction
- Supplied in a deluxe storage case

10 Piece - Metric 2 MORSE TAPER - DRILL SET

- M35 Grade HSS including 5% Cobalt
- 135° cutting point for steels and tough materials
- 2MT shank with tang • Precision ground flutes



HSS M35 GRADE	5% COBALT	DIN 345	10 PIECE METRIC SET
 135°	2MT SHANK	 HIGH HEAT RESISTANCE	
			Ø14.5 - Ø23mm



DIAMETER (D)	FLUTE LENGTH (FL)	OVER ALL LENGTH (OAL)
14.5mm	114mm	212mm
15mm	114mm	212mm
16mm	120mm	218mm
17mm	125mm	223mm
18mm	130mm	228mm
19mm	135mm	233mm
20mm	140mm	338mm
21mm	145mm	243mm
22mm	150mm	248mm
23mm	155mm	253mm

Product Brochure For D122

Specific Features



Drill Set Top View



Case Open Top View



Lid Open



Case



Case Top View