

Product Brochure For D170

Industrial 3MT Geared Head Drilling Machine - GHD-22

Ø31.5mm Drilling Capacity



ORDER CODE:	D170
MODEL:	GHD-22
Drilling Capacity (mm):	Ø31.5
Thread Tapping Capacity (Metric):	~
Spindle Taper (MT):	3
Spindle Travel (mm):	120
Throat Depth (mm):	255
Quill Diameter (mm):	55
Column Diameter (mm):	100
Spindle To Table (mm):	830
Spindle To Base (mm):	1240
Table (Type):	Rectangle
Table Size (mm):	350 x 500
T-Slot Size (mm):	14
Automatic Quill Feed (mm/rev):	~
Work Light (Includes):	~
Coolant System (Includes):	~
Spindle Speed Steps (No.):	8
Spindle Speed Range (rpm):	105 ~ 2900
Motor Power (kW / hp):	0.9 / 1.2
Voltage / Amperage (V / amp):	415
Full Height (mm):	1800
Nett Weight (kg):	220



Description

Have you had enough of drilling machines that can slip via their pulley & drive belt system? Then if this is happening to your drill in the workshop, I urge you to consider this GHD-22 Industrial 3 morse taper geared head drilling machine to eliminate that drive slippage.

This drill has all the common features that is required for e.g., large cast drill table with T-slots and rotates 360°, drilling speeds from 105 to 2900rpm, drill depth stop for accurate repeatability and a 16mm drill chuck with adaptor. Another notable feature to mention is that just like the rack & pinion drill table height adjustment, the drill head can also be adjusted up or down to suit the height for each operator.

Features

- Ideal for industrial or workshop use
- Geared head drilling machine with 3 morse taper spindle
- 8 drilling speeds from 105 - 2900 rpm
- High/low with forward & reverse switch
- Helical cut gears for quiet & smooth operation
- Interlocked spindle safety guard
- Rack and pinion wind-up drill head
- Rack & pinion table height adjustment with locking lever
- Thick walled column ensuring greater rigidity
- Drill ejector lever
- Safety emergency stop/reset switch
- Table rotates 360°
- Drilling depth stop setting with scale
- T slotted work table

Includes

- 16mm keyed drill chuck and arbor
- Chuck key to suit
- Drill drift tool to remove drill chuck or taper shank drills
- Interlocked spindle safety guard

Product Brochure For D170

Specific Features



Left View



High Low With Forward and Reverse Switch



Spindle Speeds



Interlocked Spindle Safety Guard



Quill Handle



T Slotted Work Table Rotates 360 Degrees



Rack and Pinion Wind Up Drill Head



Drill Chuck

Recommended Accessories

D1272

Metric 135° Precision HSS Drill Set - 25 Piece



D1282

Imperial 135° Precision HSS Drill Set - 29 Piece



D1285

Metric 135° Precision HSS Drill Set - 51 Piece



S090A

Soluble Metal Cutting Fluid - 1 Litre



Product Brochure For D170

S090

Soluble Metal Cutting Fluid - 5 Litre



S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075

Cutting Tool Lubricant Paste - 200g



S074

Cutting Tool Lubricant Paste - 500g



L300

Magnetic Swarf Remover



M9991

Magnetic Floor Sweeper



D1171

Metric Industrial HSS Reduced Shank Drill Set



D1181

Imperial Industrial HSS Reduced Shank Drill Set



D117

Metric HSS Reduced Shank Drill Set



C289

Heavy Duty Drill Chuck - Keyed Type



C290

Heavy Duty Drill Chuck - Keyed Type



Product Brochure For D170

C292
 Industrial Drill Chuck - Keyless Type



C294
 Industrial Drill Chuck - Keyless Type



D443
 3MT x JT6 Drill Chuck Arbor




D443A
 3MT x JT3 Drill Chuck Arbor



D424
 Drill Sleeve - Morse Taper



C0965
 Clamp Kit 58 piece - Workshop Series



V141
 Safeway Precision Drill Press Vice



V142
 Safeway Precision Drill Press Vice



V143
 Safeway Precision Drill Press Vice



V138
 Drill Press Vice



V139
 Drill Press Vice



T004B
 Tapping Chuck - Fixed



Product Brochure For D170

T004

Reversible Tapping Chuck - Adjustable Clutch



T005

Reversible Tapping Chuck - Adjustable Clutch




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



O000

SpillFix Universal Organic Absorbent



O043

Rust & Corrosion Preventive



O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive

