

Product Brochure For D181A

Pedestal Mill Drill - Geared & Tilting Head - DMF-42

Table Travel: (X) - 370mm (Y) - 175mm (Z) - 780mm

31.5mm Drilling Capacity



ORDER CODE:	D181A
MODEL:	DMF-42
Digital Readout:	Optional
Type:	Vertical
Table Size (mm):	585 x 190
Column Type:	Ø115mm
Spindle Taper - Vertical:	3MT
Spindle Taper - Horizontal:	~
Longitudinal Travel (X-Axis) (mm):	370
Cross Travel (Y-Axis) (mm):	175
Vertical Travel (Z-Axis) (mm):	780
Type of Slides:	Dovetail
Ram Travel (mm):	~
Spindle to Table (mm):	780
Spindle to Base:	1300
Spindle Travel / Diameter (mm):	120 / 75
Throat Depth (max.) (mm):	250
Tilting Head (Left ~ Right):	±90°
Tilting Head (Forward ~ Back):	Fixed
Drilling Capacity (mm):	31.5
End Milling Capacity (mm):	28
Face Milling Capacity (mm):	80
Power Feed - Quill (mm/rev):	~
Power Feed - Longitudinal (X-Axis) (mm/min):	Optional
Power Feed - Cross (Y-Axis) (mm/min):	~
Power Feed - Vertical (Z-Axis) (mm/min):	~
Table T-Slot Size (inch / mm):	14
Work Table Load Capacity (kg):	55
Spindle Speeds Vertical (No./ rpm):	6 (95 - 1600)
Spindle Speeds Horizontal (No./ rpm):	~
Spindle Speeds - Universal Head:	~
Motor Power - Vertical Spindle (kW / hp):	1.1 / 1.5
Motor Power - Horizontal Spindle (kW / hp):	~
Motor Power - Universal Head:	~
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	350

Features

- Ideal for home or light industrial workshop use
- Geared head drill & mill machine with 3 morse taper spindle
- 6 drilling speeds from 95-1600rpm
- Micro down feed adjustment
- Mill head tilts to ±90°
- Milling table travels 370 x 175mm
- Swivel safety drilling chuck guard
- Emergency stop switch and overload protection
- Adjustable accurate depth setting for increased productivity
- Rack and pinion wind-up table
- Rack and pinion wind-up drill head
- Thick walled column ensuring greater rigidity
- Concertina slide way cover on y axis
- Adjustable gibs on table
- 14mm T slotted work table and base
- 1.1kW 240V motor
- Includes drawbar for milling

Product Brochure For D181A

Includes

- Milling cutter
- 16mm keyed drill chuck and arbor
- Chuck key to suit
- Drill drift tool to remove drill chuck or taper shank drills
- Safety cutter guard

Specific Features

SPINDLE SPEEDS (r/min)			
	I-L	I-M	I-H
50Hz	95	170	280
60Hz	120	210	340
II-L II-M II-H			
	II-L	II-M	II-H
50Hz	540	960	1600
60Hz	670	1180	1970

6 Drilling Speeds from 95 1600rpm



Gear Selection Levers



Swivel Safety Drilling Chuck Guard



Adjustable Accurate Depth Setting For Increased Productivity



Front Controls



Quill Handle



Rack and Pinion Wind Up Drill Head



Swivel Head



Rack and Pinion Wind Up Table



T Slotted Work Table



Drawbar for Milling



Table Cross Travel Handle

Product Brochure For D181A




Table Longitudinal Travel Handle

Forward / Reverse & Emergency Stop Switch

T Slotted Base

Included Parts

Recommended Accessories

D695

3-Axis Optimum Digital Readout Counter - 1µm

D694

1500mm Optimum Magnetic Digital Readout Scale

M230

Power Feed Unit

M240

Transformer



D322

3MT Morse Taper Shank Drill Bit

K150

Mill-Drill Accessory Package Deal - Imperial Cutters

K151

Mill-Drill Accessory Package Deal - Metric Cutters

C0965

Clamp Kit 58 piece - Workshop Series



Product Brochure For D181A

C922B
 Collet & Chuck Set - 8 Piece



C926
 Collet & Chuck Set - 20 Piece



M3301
 Metric HSS Slot Drill & End Mill Set - 10 Piece



M3321
 Imperial HSS Slot Drill & End Mill Set - 10 Piece



D1171
 Metric Industrial HSS Reduced Shank Drill Set



D1181
 Imperial Industrial HSS Reduced Shank Drill Set



D117
 Metric HSS Reduced Shank Drill Set



D4433
 3MT x JT3 Drill Chuck Arbor - 1/2" BSW Threaded Shank



D4436
 3MT x JT6 Drill Chuck Arbor - 1/2" BSW Threaded Shank



C289
 Heavy Duty Drill Chuck - Keyed Type



C290
 Heavy Duty Drill Chuck - Keyed Type



C292
 Industrial Drill Chuck - Keyless Type



Product Brochure For D181A

C294
 Industrial Drill Chuck - Keyless Type



T004B
 Tapping Chuck - Fixed



L300
 Magnetic Swarf Remover



S090A
 Soluble Metal Cutting Fluid - 1 Litre



S090
 Soluble Metal Cutting Fluid - 5 Litre




M9991
 Magnetic Floor Sweeper



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic Absorbent



O043
 Rust & Corrosion Preventive



O042
 General Purpose Lubricant & Corrosion Inhibitor



O040
 Rust & Corrosion Preventive



Product Brochure For D181A

O044

Rust & Corrosion Preventive

