

Product Brochure For K8104

## 14" Wood Band Saw - BP-355H, 240V

Built to School Specifications  
 NSW DOE Item 1A

### Please Call



ORDER CODE:	K8104
NSW DOE Item No.:	1A
QLD DOE Item No.:	~
MODEL:	Schools / TAFE BP-355H
Throat Capacity (mm):	345
Wheel Diameter (mm):	355
Height Capacity (mm):	300
Table Size (mm):	440 x 540
Frame Type:	Steel
Motor Power (kW / hp):	1.7 / 2.25
Voltage / Amperage (V / amp):	240 / 10
Full Height (mm):	1910
Blade Code:	W4230A, W4230B, W4230F
Blade Length (mm):	2920 x 6-19 x 0.9
Net Weight (kg):	122



### Description

The Hafco Woodmaster BP-355H Bandsaw has been professionally upgraded to meet the specific safety and operational requirements set by the NSW Department of Education. Modifications include upgraded switchgear, emergency stop systems, and enhanced safety controls to ensure compliance with current school-based risk management standards. Each unit is carefully inspected and certified for use in NSW school environments, providing peace of mind for educators and administrators.

Powered by a robust 1.7kW (2.25hp) 240V motor the BP-355H delivers a generous cutting capacity of up to 300mm in height and balanced Ø355mm cast iron wheels reduce vibration and maintain blade speed for a smooth and consistent cut.

For over 40 years, Hare & Forbes Machineryhouse has proudly partnered with schools, TAFEs, and trade training centres across Australia, supplying a wide range of machinery. Throughout this time, we have developed an in-depth understanding of each state's unique requirements, enabling us to deliver tailored, compliant solutions for your next machinery purchase.

### Features

- Large cutting height capacity of 300mm
- Ball bearing blade guides
- High / Low rip fence
- Heavy duty steel fabricated frame
- Cast iron table tilts to 45°
- Rack & pinion adjustment on top blade guide
- Quick-release blade tension mechanism
- Blade tension indicator with viewing window
- Blade guards with safety interlocked micro-switches
- Safety magnetic switch with emergency stop
- 100mm dust collector port
- 1.7kW / 2.5hp 240V induction motor

### Safety Features

- Magnetic NVR on/off switch
- Micro-switch protection on hinged blade guard doors
- Keyed isolation switch - PWD approved

### Includes

- High / Low ripping fence

Product Brochure For K8104

- Mitre gauge
- 6TPI, Blade - 2920 x 12 x 0.8mm

**Specific Features**



Keyed Isolation Switch



Large Work Table




Blade Release Tension Tracking Blade Lock



Mitre Guide Rip Fence



Side View



Ball Bearing Blade Guides




Blade Guard Blade Height Scale



Blade Guards Fitted with Safety Micro Switches



Blad Tensioning Indicator



Safety Locks On Doors



Blade Tracking Side View Window



45 Degree Table Tilt



Fence Low Position

Product Brochure For K8104

**Recommended Accessories**

**W4230A**

Wood Band Saw Blade - 6TPI,  
 Blade - 2920 x 13 x 0.9mm



**W4230B**

Wood Band Saw Blade - 3TPI,  
 Blade - 2920 x 12 x 0.9mm



**W4230F**

Wood Band Saw Blade - 6TPI  
 Narrow, Blade - 2920 x 6 x  
 0.65mm



**W309**

Safety Push Blocks & Stick Set



**W311**

Ripping Gauge



**W3130**

Twin Feather Board Set



**W930**

Mobile Base



**W931**

Mobile Base - Heavy Duty



Product Brochure For K8104

**W332**  
 Dust Collector



**W886**  
 Dust Collector



**W344**  
 Wood Dust Accessory Kit



**W334**  
 Dust Hose Reducer



**W333**  
 Dust Hose Reducer



**W335**  
 Blast Gate



**W336**  
 Dust Hose Elbow - 90 Degree



**W337**  
 Dust Hose Y Adaptor



**W338**  
 Dust Hose Universal Dust Hood



**W339**  
 Dust Hose Floor Sweeper Attachment



**W340**  
 Dust Hose Clamp



**W343**  
 Roller Stand

