

Product Brochure For K8180

AP-12 Two Stage Air Filtration Unit - Schools / TAFE

1044cfm Air Flow Capacity
 1 Micron Filtration System

Please Call



| | |
|-------------------------------|----------------------|
| ORDER CODE: | K8180 |
| NSW DOE Item No.: | ~ |
| QLD DOE Item No.: | ~ |
| MODEL: | Schools / TAFE AP-12 |
| Filter Bag (Micron): | 1 |
| Air Flow (CFM): | 1044 |
| Inlets / Diameter (No. / mm): | ~ |
| Noise Level (dB): | 62 ~ 69 |
| Motor Power (kW / hp): | 0.15 / 0.2 |
| Voltage (V): | 240 |
| Nett Weight (kg): | 25 |



Description

With a powerful 150W motor the AP-12 is great for home or commercial workshops. The air passes through a 2 stage filter system, with the pleated pre-filter firstly captures 98% of all particles at 5 microns in size and 85% of all particles 1 micron in size when it passes through the second stage filter.


The remote control unit has three settings for the motor speed (High-1044CFM @ 69dB, Medium-702CFM @ 67dB, Low-556CFM @ 62dB) and three different time settings of 1 hour, 2 hours and 4 hours, which can be used to clear the workshop after work has finished for the day.

Features

- 1044cfm air flow capacity
- Remote control ON/OFF
- Filtering 98% of all particles 5 microns in size and 85% of all particles 1 micron in size
- Quiet running with 3 x motor speeds (High-1044CFM @ 69dB, Medium-702CFM @ 67dB, Low-556CFM @ 62dB)
- 3 x timer settings (1Hr, 2Hr, 4Hr)
- Easy removal to clean filter element
- Designed for ceiling mount

Includes

- Flange brackets for wall or ceiling mounting
- Eye bolts for mounting to ceiling rafters
- Rubber feet for placing unit on workbench



Filtration

Highly effective 2 stage fine filtration down to 1 micron.

Product Brochure For K8180

Specific Features



Rear View



Control Panel



5 Micron Outer Paper Filter




1 Micron Inner Fabric Bag Filter



Air Outlet



Shown with Filters Removed



Shown with Filter Out



Remote Control



Parts Included

Product Brochure For K8180

Recommended Accessories

CP030

PRIMARY FILTER 5 MICRON

CP032

FILTER SECONDARY 1
MICRON

