

Product Brochure For K8210

## GHD-38B Geared Head Drill - Schools / TAFE

40mm

### Please Call



ORDER CODE:	K8210
NSW DOE Item No.:	~
QLD DOE Item No.:	~
MODEL:	Schools / TAFE GHD-38B
Bench / Pedestal Type:	Pedestal
Duty Type:	Industrial-Duty
Drill Capacity (mm):	40
Spindle Taper (MT):	4
Threading Capacity:	M24
Auto Feed (Yes / No):	Yes
Spindle Travel (mm):	180
Throat Depth (mm):	350
Quill Diameter (mm):	75
Collar Diameter (mm):	~
Column Diameter (mm):	150
Spindle To Table (mm):	770
Spindle To Base (mm):	1320
Table Shape:	Square
Micro Switch On Pulley Guard (Yes / No):	No
Table Size:	560 x 560
Spindle Drive Type:	Geared Head
Spindle Steps (No.):	18
Spindle Speeds (RPM):	50 - 1450
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	415
Overall Height (mm):	2220
Nett Weight (kg):	595



### Features

- Geared head drilling machine with 4MT spindle
- 40mm drill capacity with 180mm of spindle travel
- 18 drilling speeds from 50-1450rpm
- Forward and reverse spindle switch with high and low speeds
- Adjustable accurate depth setting with auto feed cut out for increased productivity
- Drill ejector incorporated in machine
- Thread tapping function with auto reversal of direction upon reaching the pre-set depth
- Integrated work light
- Coolant pump system with flexible hose
- Oil sight glass for geared head and feed gearbox
- Heavy walled column ensuring greater rigidity
- Rack and pinion wind-up table
- T slotted work table and base

### Safety Features

- Interlocked spindle safety guard
- Emergency stop switch
- Overload protection
- Keyed isolation switch - PWD approved

### Includes


- 16mm keyless drill chuck (C294)
- 4MT x JT3 drill chuck arbor (D454A)
- 160mm SAFEWAY precision drill vice (V143)
- 4MT fixed tapping chuck (T005B)
- M12 tee nuts suit 16mm table slot (C087)
- 2MT - 1MT drill sleeve (D420)
- 3MT - 2MT drill sleeve (D422)
- 4MT - 3MT drill sleeve (D424)

Product Brochure For K8210

Specific Features



High Low with Forward and Reverse Switch



18 Drilling Speeds from 50 1450rpm



Gear Selection Levers



Adjustable accurate depth setting with auto feed cut out for increased productivity



Head Controls



Automatic Feed Range and Auto Drift Drill Ejector




Emergency Stop Switch and Overload Protection



Work Light



Interlocked Spindle Safety Guard




T Slotted Work Table



T Slotted Base



Rack and pinion wind up Table



Coolant Pump System



16mm Keyless Drill Chuck (C294)



4MT x JT3 Drill Chuck Arbor (D454A)



160mm Precision SAFEWAY Drill Vice (V143)

Product Brochure For K8210



4MT Fixed Tapping Chuck (T005B)



Tee Nuts 16mm Table Slot (C087)



2MT-1MT Drill Sleeve (D420)



3MT-2MT Drill Sleeve (D422)



4MT-3MT Drill Sleeve (D424)

**Recommended Accessories**

D339

4MT Morse Taper Shank Drill Bit

D454

4MT x JT6 Drill Chuck Arbor

D425

Drill Sleeve - Morse Taper

T005B

Tapping Chuck - Fixed



Product Brochure For K8210

C289

Heavy Duty Drill Chuck - Keyed Type



C292

Industrial Drill Chuck - Keyless Type



C290

Heavy Duty Drill Chuck - Keyed Type



C294

Industrial Drill Chuck - Keyless Type



C096A

Clamp Kit 58 piece - Industrial Series




V141

Safeway Precision Drill Press Vice



V142

Safeway Precision Drill Press Vice



V143

Safeway Precision Drill Press Vice



V138

Drill Press Vice



V139

Drill Press Vice




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



Product Brochure For K8210

S090A  
 Soluble Metal Cutting Fluid - 1 Litre



S090  
 Soluble Metal Cutting Fluid - 5 Litre



S076  
 Cutting Tool Lubricant Fluid - 500ml



S077  
 Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075  
 Cutting Tool Lubricant Paste - 200g



S074  
 Cutting Tool Lubricant Paste - 500g



O000  
 SpillFix Universal Organic Absorbent



O043  
 Rust & Corrosion Preventive



O042  
 General Purpose Lubricant & Corrosion Inhibitor



O040  
 Rust & Corrosion Preventive



O044  
 Rust & Corrosion Preventive

