

Product Brochure For K8272

Metal Cold Saw Includes Stand - CS-315C, 240V

Built to School Specifications
 NSW DOE Item 37A

Please Call



ORDER CODE:	K8272
NSW DOE Item No.:	37A
QLD DOE Item No.:	-
MODEL:	Schools / TAFE & CS-315C
Blade Size (Diameter x Bore) (mm):	315 x 32
Round Capacity 90° / 45° (mm):	100 / 90
Square Capacity 90° / 45° (mm):	82 / 75
Rectangle Capacity 90° / 45° (mm):	110 x 70 / 85 x 70
Table Working Height (with Stand) (mm):	980
Blade Speeds (RPM):	44
Motor Power (kW / hp):	1.5 / 2
Voltage (V / amp):	240
Nett Weight (kg):	175



Features

- Quality Taiwanese manufacture
- Rugged cast iron construction offers years of accurate cutting
- Lock at any angle between -45° or +45° mitre in both directions via locking lever
- Degree markings engraved onto swivelling base for quick and accurate mitre cutting
- Dual material clamp system providing burr free cuts on both pieces of material
- Quick action vice clamp lever designed to increase production
- Single blade speed 44rpm
- Built in blade coolant pump system with flow control valve
- Oil sight glass located on right side of the gearbox so operator can maintain correct lubrication levels according to specifications provided
- Spring assisted head return provides a even balance during cutting operation and reduces operator fatigue
- HSS cutting blade is included for general types of material and thickness

Safety Features

- Automatic retract safety blade guard covers blade when returned to home position
- Dead man trigger switch located on cutting handle provides operator safety on/off power control
- Magnetic NVR on/off switch
- Emergency stop switch
- Keyed isolation switch - PWD approved
- Test and tag certificate on 240V lead

Includes

- Ø315mm HSS Blade - 180T
- Stand
- Coolant system
- Material length stop

Product Brochure For K8272


Specific Features




Control Panel



Adjustable Cut Length Stop



Swivel Head Degree Scale NEW



Swivel Head Lock Lever



Heavy Duty head Pivot Hinge



Adjustable Vice Jaws



Deadman Trigger Switch



Coolant Pump and Tank



Collant Flow Control Valve

Product Brochure For K8272

Recommended Accessories

S090A
 Soluble Metal Cutting Fluid - 1
 Litre



S090
 Soluble Metal Cutting Fluid - 5
 Litre



S158
 HSS Cold Saw Blade



S158A
 HSS Cold Saw Blade



S158B
 HSS Cold Saw Blade



S158C
 HSS Cold Saw Blade



S158D
 HSS Cold Saw Blade



S158E
 HSS Cold Saw Blade



Product Brochure For K8272

S158J
 HSS Cold Saw Blade



S158K
 HSS Cold Saw Blade



S158M
 HSS + COBALT Cold Saw
 Blade



S158P
 HSS + COBALT Cold Saw
 Blade



S158S
 HSS + COBALT Cold Saw
 Blade



S158X
 HSS + COBALT Cold Saw
 Blade



L812
 Roller Conveyor



L814
 Roller Conveyor Stand



L802
 3m Length Stop System



W3434
 Roller Stand



M800
 Rubber Mat - Anti-Fatigue

