

Product Brochure For K8737

## MG-440 Mechanical Guillotine - QLD Schools / TAFE

QLD Contract

1300 x 4mm Mild Steel Shearing Capacity

### Please Call



|                          |                     |
|--------------------------|---------------------|
| ORDER CODE:              | K8737               |
| NSW DOE Item No.:        | ~                   |
| QLD DOE Item No.:        | ~                   |
| MODEL:                   | School / TAFEMG-440 |
| Shearing Thickness (mm): | 4                   |
| Shearing Length (mm):    | 1300                |
| Nett Weight (kg):        | 1450                |



### Features

- 1300mm x 4mm cutting capacity
- 4kW / 5.3hp 415V brake motor
- Quick action blade clearance adjustment for shearing material 1 - 4mm
- Full length material clamp bar load spring assisted
- One shot lubrication pump & reservoir for slideway protection
- Manual backgauge with digital scale display unit
- Equipped with shadow line lighting-alignment device
- Roving foot pedal control
- Clamp beam design allows clear view to shadow line on material
- Blades made from 9CrSi material suitable for cutting stainless steel
- Plate support tables with transfer balls for quick & easy material alignment and manoeuvrability
- Front sheet supports with ball bearing guides preventing material damage when setting up
- Three safety photo electric light beams on rear guarding
- Safety reset rear guarding button mounted to back of electrical box

- Mild steel capacity is rated on hot rolled material with 250MPA

- Pre-Commissioning:
- 1. Guillotine is run & tested prior delivery

### Safety Features

- Roving Foot Pedal
- Rear light curtain
- Emergency stop switch

Product Brochure For K8737

**Specific Features**



Right View



Rear View



Control Panel



Quick Action Blade Clearance Adjustment



Squaring Arm



Squaring Arm with Measuring Scale



Front Sheet Supports




Front Sheet Supports with Roller Bearings



Material Transfer Balls on Table



Manual Backgauge with Digital Readout



Backgauge Scale Digital Readout



Backgauge Digital Readout



3 Safety Electro Photo Sensors



Safety Omron E32S Rear Light Sensor Guarding



One Shot Lubrication



Mobile Foot Control

Product Brochure For K8737



Rear Guard Reset Button



Emergency Stop Switch



Shown with Optional Ball Transfer Tables - Order Code (L840)

Recommended Accessories

S9982

2540mm Sheet Metal Guillotine Blade Set - 9CrSi

M800



Rubber Mat - Anti-Fatigue

M805

Rubber Mat - Anti-Fatigue

O000

SpillFix Universal Organic Absorbent



O043

Rust & Corrosion Preventive

O042

General Purpose Lubricant & Corrosion Inhibitor

O040

Rust & Corrosion Preventive

O044

Rust & Corrosion Preventive



Product Brochure For K8737

---

O004

Superdraulic ISO 46 Hi Temp  
Hydraulic Oil

