

Product Brochure For K8760

HDP-35 Trade Hydraulic Press - QLD Schools / TAFE

35 tonne

QLD Contract Item No. 15

Please Call



ORDER CODE:	K8760
NSW DOE Item No.:	~
QLD DOE Item No.:	15
MODEL:	School / TAFE HDP-35
Capacity (Tonne):	35
Sliding Ram (Yes / No):	Yes
Width Between Front Posts (mm):	790
Width Between Side Posts (mm):	208
Ram To Table (Max.) (mm):	730
Cylinder Stroke (mm):	130
Ram Diameter (mm):	Ø80
Piston Diameter (mm):	Ø125
Floor Space (W x D x H) (mm):	1170 x 850 x 1870
Nett Weight (kg):	358



Features

- 35 tonne pressing capacity
- Suited to any workshop or garage for general use
- Ideal for removing and installing - bushing, ball-joints, bearings, gears, pulleys etc
- Manufactured from S45C high carbon & grade, medium strength steel
- Adjustable horizontal ram position
- Double pump ram for rapid & high pressure
- Screw type rapid approach on ram
- Heavy duty winch on table rise and fall
- 100mm pressure gauge
- Spring return on ram
- Adjustable dead centres for shaft straightening
- Includes vee blocks
- Manufactured in Taiwan

Includes

- Complete with vee blocks

Product Brochure For K8760

Specific Features



DoE QLD Preferred Supplier



Front View



Left View



Side View



Handle To Operate Ram



Adjustable Horizontal Ram Right



Adjustable Horizontal Ram Centre



Adjustable Horizontal Ram Left




Ram



Rapid Approach Hand Wheel



Ram Release



Pressure Gauge



Spring Return on Ram



Vee Blocks




Centres For Shaft Straightening



Centres For Shaft Straightening Close Up

Product Brochure For K8760



Handle For Table Winch




Table Winch



Table Support Pin

Recommended Accessories

P455

Pressbrake Attachment - Suits Hydraulic Presses



P030

Bush Driver Set - 17 piece




P031

Bearing Race & Seal Driver Set - 10 piece



P1401

Steel Press Pin Driver Set - 11 piece



O002

Superdraulic ISO 46 Hi Temp Hydraulic Oil



O004

Superdraulic ISO 46 Hi Temp Hydraulic Oil

