

Product Brochure For K8775

CS-350V Cold Saw, Includes Stand - QLD Schools / TAFE

QLD Contract

160 x 90mm Rectangle Capacity

Please Call



ORDER CODE:	K8775
NSW DOE Item No.:	~
QLD DOE Item No.:	~
MODEL:	Schools / TAFE & CS-350V
Blade Size (Diameter x Bore) (mm):	350 x 32
Round Capacity 90° / 45° (mm):	120 / 100
Square Capacity 90° / 45° (mm):	105 / 85
Rectangle Capacity 90° / 45° (mm):	160 x 90 / 85 x 70
Table Working Height (with Stand) (mm):	1000
Blade Speeds (RPM):	Variable 24-120
Motor Power (kW / hp):	2.2 / 3
Voltage (V / amp):	240 / 415
Nett Weight (kg):	280



Features

- Electronic variable speed 24~120rpm
- 2.2kW / 3hp 415V heavy duty motor
- Rugged cast iron construction offers years of accurate cutting
- Lock at any angle between -45° or +45° mitre in both directions via locking lever
- Degree markings engraved onto swivelling base for quick and accurate mitre cutting
- Dual material clamp system providing burr free cuts on both pieces of material
- Quick action vice clamp lever designed to increase production
- Built in blade coolant pump system with flow control valve
- Oil sight glass located on right side of the gearbox so operator can maintain correct lubrication levels according to specifications provided
- Dead man trigger switch located on cutting handle provides operator safety on/off power control
- Automatic retract safety blade guard covers blade when returned to home position
- Spring assisted head return provides a even balance during cutting operation and reduces operator fatigue
- HSS cutting blade is included for general types of material and thickness

Safety Features

- Handle mounted "deadman" trigger switch
- CE Approved safety blade guard
- Test and tag certificate on 240V lead
- Padlockable Isolation switch
- Roving Foot Pedal
- Emergency stop switch

- OPTIONAL SAFETY ELECTRICS
- Roving Foot Pedal

Includes

- Stand
- Coolant System
- HSS Blade

Product Brochure For K8775

Specific Features



Front View



Left View



Digital Readout Control Panel




Close Up




Quick Lock Vice




Quick Action Vice



Sliding Vice



Adjustable Vice Jaw



Material Roller Support



Head Lock



Length Stop



Deadman Trigger



Coolant Valve



Coolant System



Dual Mitre Head



90 Degree Cutting

Product Brochure For K8775




Cutting Head Down



Rear View

Recommended Accessories

S092
 BROBOLUBE Industrial
 Gearbox Oil



S161
 HSS Cold Saw Blade



S161A
 HSS Cold Saw Blade



S161B
 HSS Cold Saw Blade



S161C
 HSS Cold Saw Blade



S161CC
 HSS + COBALT Cold Saw
 Blade



S161D
 HSS Cold Saw Blade



S161E
 HSS Cold Saw Blade



Product Brochure For K8775

S161EC
 HSS + COBALT Cold Saw
 Blade

S161F
 HSS Cold Saw Blade

S161FC
 HSS + COBALT Cold Saw
 Blade

S161H
 HSS + COBALT Cold Saw
 Blade



S090A
 Soluble Metal Cutting Fluid - 1
 Litre

S090
 Soluble Metal Cutting Fluid - 5
 Litre

S076
 Cutting Tool Lubricant Fluid -
 500ml

S077
 Drilling, Tapping & Cutting Tool
 Lubricant Spray - 400g



S075
 Cutting Tool Lubricant Paste -
 200g

S074
 Cutting Tool Lubricant Paste -
 500g

S091
 Soluble Metal Cutting Fluid - 20
 Litre

L300
 Magnetic Swarf Remover



Product Brochure For K8775

M9991
 Magnetic Floor Sweeper



L812
 Roller Conveyor



L814
 Roller Conveyor Stand



W343
 Roller Stand



W343A
 Roller Stand



W3434
 Roller Stand




W3436
 Roller Stand - V-Type



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic Absorbent



O043
 Rust & Corrosion Preventive



O042
 General Purpose Lubricant & Corrosion Inhibitor



Product Brochure For K8775

O040

Rust & Corrosion Preventive

O044

Rust & Corrosion Preventive

