

Product Brochure For K8776

CS-315D Cold Saw, Includes Stand - QLD Schools / TAFE

QLD Contract
 110 x 70mm Rectangle Capacity

Please Call



ORDER CODE:	K8776
NSW DOE Item No.:	~
QLD DOE Item No.:	~
MODEL:	Schools / TAFE & CS-315D
Blade Size (Diameter x Bore) (mm):	315 x 32
Round Capacity 90° / 45° (mm):	100 / 90
Square Capacity 90° / 45° (mm):	82 / 75
Rectangle Capacity 90° / 45° (mm):	110 x 70 / 85 x 70
Table Working Height (with Stand) (mm):	980
Blade Speeds (RPM):	22 / 44
Motor Power (kW / hp):	1.5 / 2
Voltage (V / amp):	415
Nett Weight (kg):	175



Features

- Electronic variable speed 24~120rpm
- 2.2kW / 3hp 415V heavy duty motor
- Rugged cast iron construction offers years of accurate cutting
- Lock at any angle between -45° or +45° mitre in both directions via locking lever
- Degree markings engraved onto swivelling base for quick and accurate mitre cutting
- Dual material clamp system providing burr free cuts on both pieces of material
- Quick action vice clamp lever designed to increase production
- Built in blade coolant pump system with flow control valve
- Oil sight glass located on right side of the gearbox so operator can maintain correct lubrication levels according to specifications provided
- Dead man trigger switch located on cutting handle provides operator safety on/off power control
- Automatic retract safety blade guard covers blade when returned to home position
- Spring assisted head return provides a even balance during cutting operation and reduces operator fatigue
- HSS cutting blade is included for general types of material and thickness

Safety Features

- Handle mounted "deadman" trigger switch
- CE Approved safety blade guard
- Test and tag certificate on 240V lead
- Padlockable Isolation switch
- Roving Foot Pedal
- Emergency stop switch

- OPTIONAL SAFETY ELECTRICS
- Roving Foot Pedal

Includes

- Stand
- Coolant System
- HSS Blade

Product Brochure For K8776

Specific Features



Front View



Left View



Digital Readout Control Panel



Close Up




Quick Lock Vice




Quick Action Vice



Sliding Vice



Adjustable Vice Jaw



Material Roller Support



Head Lock



Length Stop



Deadman Trigger



Coolant Valve



Coolant System



Dual Mitre Head



90 Degree Cutting

Product Brochure For K8776



Cutting Head Down




Rear View

Recommended Accessories

S092

BROBOLUBE Industrial Gearbox Oil



S158

HSS Cold Saw Blade



S158A

HSS Cold Saw Blade



S158B

HSS Cold Saw Blade



S158C

HSS Cold Saw Blade



S158D

HSS Cold Saw Blade



S158E

HSS Cold Saw Blade



S158J

HSS Cold Saw Blade



Product Brochure For K8776

S158K
 HSS Cold Saw Blade



S158M
 HSS + COBALT Cold Saw Blade



S158P
 HSS + COBALT Cold Saw Blade



S158S
 HSS + COBALT Cold Saw Blade



S158X
 HSS + COBALT Cold Saw Blade



S090A
 Soluble Metal Cutting Fluid - 1 Litre



S090
 Soluble Metal Cutting Fluid - 5 Litre



S076
 Cutting Tool Lubricant Fluid - 500ml



S077
 Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075
 Cutting Tool Lubricant Paste - 200g



S074
 Cutting Tool Lubricant Paste - 500g



S091
 Soluble Metal Cutting Fluid - 20 Litre



Product Brochure For K8776

L300
 Magnetic Swarf Remover



M9991
 Magnetic Floor Sweeper



L812
 Roller Conveyor



L814
 Roller Conveyor Stand



W343
 Roller Stand



W343A
 Roller Stand



W3434
 Roller Stand




W3436
 Roller Stand - V-Type



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic Absorbent



O043
 Rust & Corrosion Preventive



Product Brochure For K8776

O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive



S812

Coolant Pump

