

Product Brochure For P136P

Industrial Motorised Hydraulic Press Bender - 100 Tonne - AP-1020/100

10hp 415V Motor & 300mm Ram Stroke

Includes Multi Vee Pressbrake Attachment, Pressure Gauge & Foot Pedal Control

On Sale

Ex GST

Inc GST

\$27,500.00

\$30,250.00

\$26,750.00

\$29,425.00



ORDER CODE:	P136P
MODEL:	AP-1020/100 - Pressbrake
Pressing Capacity (Tonne):	100
Hydraulic Ram Operation (Type):	Motorised System
Sliding Ram (left-right) (Yes / No):	No
Width Between Front Posts (mm):	1020
Width Between Side Posts (mm):	~
Table Top Opening - (Front to Back) (mm):	~
Ram To Table (Max.) (mm):	~
Cylinder Stroke (mm):	300
Ram Diameter (mm):	Ø220
Piston Diameter (mm):	~
Minimum Air Flow Rate required (L/Min):	~
Motor Power (kW / hp):	7.5 / 10
Voltage (V):	415
Floor Space (W x D x H) (mm):	2100 x 1050 x 2220
Nett Weight (kg):	1900



Description

100 tonne Hydraulic Press Bender Includes a Pressbrake Attachment

Note: Pressbrake attachment can be removed to use as a standard shop press

Features

- 1020mm x 86° offset top punch tool
- 1020mm x 95mm square bottom multi-vee die block, 10, 20, 30, 40 & 65mm vee
- 8mm maximum plate bending thickness with pressbrake attachment
- 1020 x 500mm die table with a Ø100mm centre hole
- 680mm distance between tables
- Fast approach slow bend
- Adjustment system for taking down or up the table
- Pressure adjustment
- Adjustable stroke
- T-slotted bottom table
- High capacity workshop forming press with extra 2 guide pistons in both sides
- Heavy duty steel welded frame
- Hydraulic operated pressing ram
- Pressure gauge fitted
- Safety overload valve
- Built to CE regulations
- Foot Pedal control
- Safety contactor switch with overload protection
- 8mm/sec Fast Approach
- 5mm/sec Working Speed
- 10mm/sec Return Speed

- Pre-Commissioning:
 1. Press is run & tested prior delivery
 2. Hydraulic oil is included with machine

Includes

Complete with Pressbrake Attachment

Product Brochure For P136P

Specific Features



T Slotted Bottom Table



Multi vee Die Block



Adjustable Travel Limit Control



Pressure Gauge



Controls



Pressbrake Attachment Locks



2 x Guide Pistons



Foot Pedal Control



Heavy Duty Steel Welded Frame



Adjustable Table Height

Product Brochure For P136P

Recommended Accessories

O002

Superdraulic ISO 46 Hi Temp
Hydraulic Oil

O004

Superdraulic ISO 46 Hi Temp
Hydraulic Oil

