

Product Brochure For S1273

Brobo Cold Saw - Intergrated Stand - S350G

85 x 150mm 90° Rectangle Capacity
 240V - Ø350mm Blade, Single Speed 42rpm

On Sale

Ex GST	Inc GST
\$7,900.00	\$8,690.00
\$7,800.00	\$8,580.00



ORDER CODE:	S1273
MODEL:	S350G
Cutting Head Action:	Manual
Operation Type:	45° left, straight 90°, 45° right.
Round Capacity @ 90° / 45° (mm):	118 / 110
Square Capacity @ 90° / 45° (mm):	105 / 90
Rectangle Capacity @ 90° / 45° (WxH) (mm):	85 x 150 / 95 x 110
Blade Size - Diametre. x Bore (Ø) (mm):	350 x 40
Vice Clamping Fixture:	Manual
Coolant System:	Yes
Table Working Height (with Stand) (mm):	968
Blade Speed (rpm):	42
Motor Power (kW / hp):	1.7 / 2
Voltage / Amperage (V / amp):	240
Nett Weight (kg):	220



Description

Engineered for heavy duty applications, Brobo Group's S315G, S350G & S400G ferrous metal cutting saws are specifically developed for precision cutting of steel profiles, solids and tubes. Their superior performance and reliability ensures a burr-free, milled finish on every cut.

Features

- Quick action mitering
- Mitering locking device stops at 45° left, straight 90° and 45° right
- Fully integrated coolant system provided on all machines
- Spindle and drive unit immersed in oil solution and enclosed within gearbox housing for smooth performance and reduced machine wear
- Every unit is provided with a high speed steel blade for general purpose cutting of ferrous solid and tube profiles
- Saws supplied with facilities for bench mounting onto workbench
- Trigger Switch (DMT) to activate Machine

Includes

- Coolant pump system
- Blade
- Stand

Optional Accessories

- Dual Arm Single Manual Vice
- Pneumatic Air Vice Clamping
- Roller Conveyor with Steel Rollers
- Conveyor Mounting Brackets LHS & RHS
- Feed Roller Attachments
- Adjustable Conveyor Stands
- Broborule Length Stop Kits

Product Brochure For S1273

Specific Features



G Model Clamping



Vice Assembly

Recommended Accessories

S100
Vice

S090
Soluble Metal Cutting Fluid - 5 Litre

L812
Roller Conveyor

L814
Roller Conveyor Stand




S092
BROBOLUBE Industrial Gearbox Oil

S136
HSS Cold Saw Blade

S137
HSS + COBALT Cold Saw Blade

S136A
HSS Cold Saw Blade



Product Brochure For S1273

S137A
 HSS + COBALT Cold Saw
 Blade



S136B
 HSS Cold Saw Blade



S137B
 HSS + COBALT Cold Saw
 Blade



S136C
 HSS Cold Saw Blade



S137C
 HSS + COBALT Cold Saw
 Blade



S136D
 HSS Cold Saw Blade



S137D
 HSS + COBALT Cold Saw
 Blade



S136E
 HSS Cold Saw Blade



S136F
 HSS Cold Saw Blade



S137E
 HSS + COBALT Cold Saw
 Blade



S090A
 Soluble Metal Cutting Fluid - 1
 Litre



S091
 Soluble Metal Cutting Fluid - 20
 Litre



Product Brochure For S1273

L300
 Magnetic Swarf Remover



M9991
 Magnetic Floor Sweeper



W343
 Roller Stand



W343A
 Roller Stand



W3434
 Roller Stand



W3436
 Roller Stand - V-Type



S093
 Screw Retaining



S094
 Leadscrew Handle / Nut Assembly



S096
 Vice Nut - Brass Type



S095
 Dowel Pin



S097
 Love Joy Coupling



S097A
 Insert Love Joy



Product Brochure For S1273

S098A
 Coolant Pump



S098B
 Coolant Pump & Conversion Kit



S099A
 Return Spring Conversion Kit



S099B
 Return Spring




S098
 ON/OFF SWITCH 240V



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic Absorbent



O043
 Rust & Corrosion Preventive



O042
 General Purpose Lubricant & Corrosion Inhibitor



O040
 Rust & Corrosion Preventive



O044
 Rust & Corrosion Preventive



Product Brochure For S1273

S088

HI / LO SWITCH - 2 SPEED
415V

S0052

Dowel Pin

