

Product Brochure For S1292

Brobo Cold Saw - Intergrated Stand - S400G

100 x 150mm 90° Rectangle Capacity
 415V - Ø400mm Blade, Dual Speed 42 / 85rpm

On Sale

Ex GST	Inc GST
\$8,300.00	\$9,130.00
\$8,150.00	\$8,965.00



ORDER CODE:	S1292
MODEL:	S400G
Cutting Head Action:	Manual
Operation Type:	45° left, straight 90°, 45° right.
Round Capacity @ 90° / 45° (mm):	140 / 125
Square Capacity @ 90° / 45° (mm):	115 / 105
Rectangle Capacity @ 90° / 45° (WxH) (mm):	100 x 150 / 100 x 110
Blade Size - Diametre. x Bore (Ø) (mm):	400 x 40
Vice Clamping Fixture:	Manual
Coolant System:	Yes
Table Working Height (with Stand) (mm):	968
Blade Speed (rpm):	42 / 85
Motor Power (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	222



Description

Engineered for heavy duty applications, Brobo Group's S315G, S350G & S400G ferrous metal cutting saws are specifically developed for precision cutting of steel profiles, solids and tubes. Their superior performance and reliability ensures a burr-free, milled finish on every cut.

Features

- Quick action mitering
- Mitering locking device stops at 45° left, straight 90° and 45° right
- Fully integrated coolant system provided on all machines
- Spindle and drive unit immersed in oil solution and enclosed within gearbox housing for smooth performance and reduced machine wear
- Every unit is provided with a high speed steel blade for general purpose cutting of ferrous solid and tube profiles
- Saws supplied with facilities for bench mounting onto workbench
- Trigger Switch (DMT) to activate Machine

Includes

- Coolant pump system
- Blade
- Stand

Optional Accessories


- Dual Arm Single Manual Vice
- Pneumatic Air Vice Clamping
- Roller Conveyor with Steel Rollers
- Conveyor Mounting Brackets LHS & RHS
- Feed Roller Attachments
- Adjustable Conveyor Stands
- Broborule Length Stop Kits

Product Brochure For S1292

Specific Features



G Model Clamping



Vice Assembly


Recommended Accessories

S100
Vice

S090
Soluble Metal Cutting Fluid - 5 Litre

L812
Roller Conveyor

L814
Roller Conveyor Stand




S092
BROBOLUBE Industrial Gearbox Oil

S138
HSS Cold Saw Blade

S138A
HSS Cold Saw Blade

S138B
HSS Cold Saw Blade



Product Brochure For S1292

S138C
HSS Cold Saw Blade



S138D
HSS Cold Saw Blade



S138E
HSS Cold Saw Blade



S138F
HSS Cold Saw Blade



S139A
HSS + COBALT Cold Saw
Blade



S139B
HSS + COBALT Cold Saw
Blade



S139C
HSS + COBALT Cold Saw
Blade



S139D
HSS + COBALT Cold Saw
Blade



S139E
HSS + COBALT Cold Saw
Blade



S090A
Soluble Metal Cutting Fluid - 1
Litre



S091
Soluble Metal Cutting Fluid - 20
Litres



L300
Magnetic Swarf Remover
Litre



Product Brochure For S1292

M9991
 Magnetic Floor Sweeper



W343
 Roller Stand



W343A
 Roller Stand



W3434
 Roller Stand



W3436
 Roller Stand - V-Type



S093
 Screw Retaining



S094
 Leadscrew Handle / Nut
 Assembly



S096
 Vice Nut - Brass Type



S095
 Dowel Pin



S097
 Love Joy Coupling



S097A
 Insert Love Joy



S098A
 Coolant Pump



Product Brochure For S1292

S098B
 Coolant Pump & Conversion Kit




S099A
 Return Spring Conversion Kit



S099B
 Return Spring




S098
 ON/OFF SWITCH 240V



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic Absorbent



O043
 Rust & Corrosion Preventive



O042
 General Purpose Lubricant & Corrosion Inhibitor




O040
 Rust & Corrosion Preventive



O044
 Rust & Corrosion Preventive



S088
 HI / LO SWITCH - 2 SPEED 415V



Product Brochure For S1292

S0052
Dowel Pin

