

Product Brochure For S537

Hydraulic Guillotine - SG-815H

2470 x 1.6mm Mild Steel Shearing Capacity

Manual Backgauge



On Sale

Ex GST	Inc GST
\$7,790.00	\$8,569.00
\$7,250.00	\$7,975.00

ORDER CODE:	S537
MODEL:	SG-815H
Shearing Capacity - Mild Steel (mm):	1.6
Shearing Capacity - Stainless Steel (mm):	0.8
Shearing Length (mm):	2470
NC Control (Type):	~
Backgauge (Type):	Manual
Backgauge Travel (mm):	550
Pneumatic Sheet Supports:	~
Quick Action Blade Clearance Adjustment:	~
Strokes / min (SPM):	~
Blade Angle (deg):	~
Throat Depth (mm):	~
Motor Power (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	240 / 15
Floor Space Requirements (L x W x H) (mm):	2970 x 1720 x 1200
Nett Weight (kg):	1173

METALMASTER



Description

The SG-815H compact hydraulic guillotine is a machine that should be in every sheet metal fabrication shop. This 2470mm guillotine will easily cut 1.6mm mild steel over its full length and operates on 240 volt 15 amp single phase power. The SG-815H comes complete with an adjustable back gauge for precise repeatability. It also comes standard with a squaring arm and front sheet supports.

Features

- 2470mm x 1.6mm cutting capacity
- 2.2kW / 3hp 240V motor
- 880mm work table height
- Adjustable manual backgauge
- Roving foot pedal control
- Blades made from 9CrSi material suitable for cutting stainless steel
- Safety photo electric rear guarding with 3 beams
- Safety reset rear guarding button mounted to back of electrical box
- Front arm supports & squaring guide
- Mild steel capacity is rated on hot rolled material with 250MPA
- Pre-Commissioning:
 1. Guillotine is run & tested prior delivery
 2. Hydraulic oil is included with machine

Product Brochure For S537

Specific Features



Right View



Front View



Control Panel



Rear View



Squaring Arm




Rear Back Gauge



Roving Foot Pedal with Emergency Stop

Recommended Accessories


S9982
 2540mm Sheet Metal Guillotine
 Blade Set - 9CrSi



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic
 Absorbent



Product Brochure For S537

O043
 Rust & Corrosion Preventive



O042
 General Purpose Lubricant & Corrosion Inhibitor



O040
 Rust & Corrosion Preventive



O044
 Rust & Corrosion Preventive



O004
 Superdraulic ISO 46 Hi Temp Hydraulic Oil

