


Product Brochure For S576

## Hydraulic NC Panbrake - PB-422L

1250 x 2.0mm Mild Steel Bending Capacity



ORDER CODE:	S576
MODEL:	PB-422L
Controller Type:	Digital Single Program
Bending Length (mm):	1250
Mild Steel Capacity (mm):	2
Stainless Steel Capacity (mm):	1
Material Clamping Type:	Hydraulic Clamp
Material Bending Type:	Hydraulic Bend
Bending Angle Indicator (deg):	0-125°
Backgauge Travel (mm):	1000
Motor (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	240 / 15
Floor Space (L x W x H) (mm):	~
Nett Weight (kg):	1100



### Features

- 1250mm x 2.0mm capacity
  - Easy to use single angle programmable control incorporating digital readout for angles from 0-125°
  - Auto cycle: after clamping bottom beam will bend to pre-set angle and return
  - Hydraulic bending & hydraulic material clamp system
  - Roving foot pedal incorporates control panel for maximum flexibility
  - Extended fingers allows bending of pans or boxes to a depth of 230mm
  - Ground segmented fingers can be repositioned to suit many applications
  - Heavy duty steel fabricated frame provides accurate bends
  - Adjustment clamp beam for varying material thickness
  - Includes an adjustable rear manual backgauge, also adjustable for tapered material
  - Mild steel capacity is rated on hot rolled material with 250MPA
- Pre-Commissioning:
    1. Panbrake bender is run & tested prior delivery
    2. Hydraulic oil is included with machine

Product Brochure For S576

**Recommended Accessories**

**S581A**  
 Hydraulic NC Panbrake - NC-89 Control

**S581B**  
 Hydraulic NC Panbrake - NC-89 Control

**M800**  
 Rubber Mat - Anti-Fatigue

**M805**  
 Rubber Mat - Anti-Fatigue



**O000**  
 SpillFix Universal Organic Absorbent

**O043**  
 Rust & Corrosion Preventive

**O042**  
 General Purpose Lubricant & Corrosion Inhibitor

**O040**  
 Rust & Corrosion Preventive



Product Brochure For S576

O044  
Rust & Corrosion Preventive



O004  
Superdraulic ISO 46 Hi Temp Hydraulic Oil



M977  
Digital Bevel Box

