

Product Brochure For S763A

## Motorised Sheet Metal Curving Rolls - PR-132H

1300 x 1.6mm Mild Steel Capacity

Initial Pinch Design

**On Sale**

Ex GST

Inc GST

~~\$3,290.00~~

~~\$3,619.00~~

**\$2,990.00**

**\$3,289.00**



ORDER CODE:	S763A
MODEL:	PR-132H
Curving System Type:	Initial Pinch
Curving Material Length (mm):	1300
Curving Plate Thickness - Mild Steel (mm):	1.6
Minimum Rolling Diameter (mm):	112
Roll Diameter (mm):	75
Motor Power (kW / hp):	0.75 / 1
Voltage / Amperage (V / amp):	240 / 10
Dimensions (LxWxH) (mm):	1920 x 610 x 1340
Floor Space (L x W x H) (mm):	~
Nett Weight (kg):	400



### Features

- Initial pinch rolls with pre-bending
- Swing out top roller enables complete cylinder to be removed
- Safety wire interlock system with emergency shut-off
- Two rolls powered by chain & gear drive system
- Precision ground rolls with wiring grooves
- Micro adjustment for material thickness
- Heavy duty steel welded main frames
- Mobile foot pedal control
- Mild steel capacity is rated on hot rolled material with 250MPA

Product Brochure For S763A

**Specific Features**



Right View

Left View

Rear View

Safety Trip Wire System



Safety Trip Wire Micro Switch



Material Thickness and Curving Roller Adjustment



Wire Groove Rolls



Left View of Rolls




Right View of Rolls



Swing Out Top Roller



Rear View of Curving Roll Adjustment



Curving Roller Height Adjustment



Curving Roller Height Adjustment Right Side



Control Panel



Main Drive Motor



Foot Control

Product Brochure For S763A

---



Stop Switch