

Product Brochure For W414

## Thicknesser - HSS Blades - T-380A

380 x 150mm (W x H) Material Capacity  
 Includes 3 x High Speed Steel Blades



**On Sale - Limited Stock**

Ex GST	Inc GST
<del>\$2,350.00</del>	<del>\$2,585.00</del>
<b>\$2,081.82</b>	<b>\$2,290.00</b>

ORDER CODE:	W414
MODEL:	T-380A
Material Width Capacity (mm):	380
Material Height Capacity (mm):	150
Minimum Material Length (mm):	175
Maximum Depth of Cut (mm):	2mm @ 380mm wide
Cutter Type:	HSS Blades - Straight
Quantity of Cutters (No. x Type):	3 x Blades
Cutter Block Diameter (mm):	73
Cutter Block Speed (rpm):	5000
Quantity of Spirals (No.):	~
Length of Table (mm):	520
Length of Table with Extensions/Rollers (mm):	1015
Feed Speed (m/min):	4.8 / 6
Dust Outlet Diameter (mm):	100
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 15
Floor Space (W x D x H) (mm):	770 x 1015 x 1100
Floor Space With Option Stand (W x D x H) (mm):	~
Nett Weight (kg):	230

### Description

The Hafco T-380 thicknesser manufactured in Taiwan with three knife cutter head is a heavy duty machine with very substantial cast iron body and heavy gauge sheet steel base. The cast iron thickening table which has a polished surface to help timber slide freely as well as to help reduced vibration to improved quality of cut.

The cutter head is supported by 4 x solid pillars at each corner and the steel drive rollers have ribbing to ensure positive grip on the timber through the machine via two speed gearbox at a rate of 16 or 20rpm. The feed roller pressure can be adjusted with the four adjusters on the top of the machine. The depth of cut is set by means of the cranked handle on the side using the setting scale positioned on the in-feed side or digital readout.

Power is provided by a 1500W / 2hp 240V induction motor, housed within the base and transmitting power to the cutter block via a twin pulley vee belt drive system.

### Features

- 380mm wide x 150mm high timber capacity
- Digital Height Gauge (Includes LR44 battery)
- Motor located in enclosed stand ensuring effortless rise/fall & less wear to mechanical components
- Solid cast iron construction
- 3 x HSS blades pre-set in cutter head with quick action blade change
- Left side table locking dials
- 2 speed gearbox
- 100mm dust chute
- Same model sold for over 20 years
- Quality Taiwanese Manufacturer

Product Brochure For W414

Specific Features




Robust 4 Post Design



Digital Height Readout



Feed Return Rollers



2 Speed Feed Gearbox



Feed Supports



W414 Side View



On Off Switch

Recommended Accessories

2WK0105  
 BLADE SET HSS PKT 3

W752  
 Spiral Cutter Head - Carbide Inserts

W394  
 Dust Collector

W344  
 Wood Dust Accessory Kit



Product Brochure For W414

W334  
 Dust Hose Reducer



W333  
 Dust Hose Reducer



W335  
 Blast Gate



W336  
 Dust Hose Elbow - 90 Degree



W337  
 Dust Hose Y Adaptor



W338  
 Dust Hose Universal Dust Hood



W339  
 Dust Hose Floor Sweeper Attachment



W340  
 Dust Hose Clamp



W930  
 Mobile Base



W931  
 Mobile Base - Heavy Duty



W343  
 Roller Stand



W343A  
 Roller Stand



Product Brochure For W414

---

W3434  
Roller Stand

