

Product Brochure For XXSH272

Hydraulic Guillotine - SG-815H

2470 x 1.6mm Mild Steel Shearing Capacity

Manual Backgauge



Used Equipment

Ex GST	Inc GST
\$5,350.00	\$5,885.00

ORDER CODE:	S537
MODEL:	SG-815H
Type:	Hydraulic Guillotine
Brand:	METALMASTER
Capacity:	2470 x 1.6mm
Speed Range (rpm):	
Motor Power (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	240 / 15
Branch The Item is Located (Available):	Melbourne



Description

The SG-815H compact hydraulic guillotine is a machine that should be in every sheet metal fabrication shop. This 2470mm guillotine will easily cut 1.6mm mild steel over its full length and operates on 240 volt 15 amp single phase power. The SG-815H comes complete with an adjustable back gauge for precise repeatability. It also comes standard with a squaring arm and front sheet supports.

Features

- 2470mm x 1.6mm cutting capacity
 - 2.2kW / 3hp 240V motor
 - 880mm work table height
 - Adjustable manual backgauge
 - Roving foot pedal control
 - Blades made from 9CrSi material suitable for cutting stainless steel
 - Safety photo electric rear guarding with 3 beams
 - Safety reset rear guarding button mounted to back of electrical box
 - Front arm supports & squaring guide
 - Mild steel capacity is rated on hot rolled material with 250MPA
- Pre-Commissioning:
 1. Guillotine is run & tested prior delivery
 2. Hydraulic oil is included with machine

Product Brochure For XXSH272

Specific Features



Image 2



Recommended Accessories

S9982
 2540mm Sheet Metal Guillotine
 Blade Set - 9CrSi

M800
 Rubber Mat - Anti-Fatigue

M805
 Rubber Mat - Anti-Fatigue

O000
 SpillFix Universal Organic
 Absorbent



O043
 Rust & Corrosion Preventive

O042
 General Purpose Lubricant &
 Corrosion Inhibitor

O040
 Rust & Corrosion Preventive

O044
 Rust & Corrosion Preventive



Product Brochure For XXSH272

O004

Superdraulic ISO 46 Hi Temp
Hydraulic Oil

