

Product Brochure For B070

Swivel Head Metal Cutting Band Saw - EB-350DSA

350 x 220mm (W x H) Rectangle Capacity



ORDER CODE:	B070
MODEL:	EB-350DSA
Operation Type:	Swivel Head - Dual Mitre
Round @ 90° (mm):	270
Round @ 45° (mm):	240 Right / 210 Left
Round @ 60° (mm):	160
Square @ 90° (mm):	260
Square @ 45° (mm):	220 Right / 180 Left
Square @ 60° (mm):	150
Rectangle (W x H) @ 90° (mm):	350 x 220
Rectangle (W x H) @ 45° (mm):	240x160 Right / 180 Left
Rectangle (W x H) @ 60° (mm):	~
Coolant System:	Yes
Table Working Height (mm):	~
Cutting Head Beam Type:	Semi-Automatic
Cutting Head Beam Return:	Auto-Hydraulic Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	~
Blade Steps / Speeds (M/Min):	68-34
Blade Size (L x W x T) (mm):	3160 x 27 x 0.9
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	530



Features

- 350 x 220mm rectangular capacity
- Auto clamping
- Semi/Automatic control with hydraulic vice & foot pedal
- Double mitre cut to 45° and 60° right and left
- Automatic blade breakage sensor
- Adjustable hydraulic down feed
- Hydraulic locking vice with unique sliding design
- Hydraulic blade tension gauge
- Remote foot-switch including emergency stop switch
- 2 speed motor 68/34mm/min

Product Brochure For B070

Recommended Accessories

B516

Metal Band Saw Blade - 4-6TPI Bi-Metal, Blade - 3160 x 27 x 0.9mm



B518

Metal Band Saw Blade - 6-10TPI Bi-Metal, Blade - 3160 x 27 x 0.9mm



S091

Soluble Metal Cutting Fluid - 20 Litre



S090A

Soluble Metal Cutting Fluid - 1 Litre



S090

Soluble Metal Cutting Fluid - 5 Litre



S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075

Cutting Tool Lubricant Paste - 200g



Product Brochure For B070

S074
 Cutting Tool Lubricant Paste -
 500g



L812
 Roller Conveyor



L814
 Roller Conveyor Stand



O000
 SpillFix Universal Organic
 Absorbent



O043
 Rust & Corrosion Preventive



O042
 General Purpose Lubricant &
 Corrosion Inhibitor



O040
 Rust & Corrosion Preventive



O044
 Rust & Corrosion Preventive

